


Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Currently Amended) A composition comprising an effective amount of an active ingredient combination composed of

(a) at least one substituted thien-3-ylsulfonylamino(thio)carbonyl-triazolin(thi)one of the formula (I)



in which

R¹ is optionally cyano-, halogen- or C₁-C₄-alkoxy-substituted alkyl having 1 to 6 carbon atoms,

R² is hydrogen, hydroxyl, mercapto, amino, cyano, fluorine, chlorine, bromine or iodine, is optionally fluorine-, chlorine-, bromine-, cyano-, C₁-C₄-alkoxy-, C₁-C₄-alkyl-carbonyl- or C₁-C₄-alkoxy-carbonyl-substituted alkyl having 1 to 6 carbon atoms, is in each case optionally fluorine-, chlorine- and/or bromine-substituted alkenyl or alkynyl having in each case 2 to 6 carbon atoms, is in each case optionally fluorine-, chlorine-, cyano-, C₁-C₄-alkoxy- or C₁-C₄-alkoxy-carbonyl-substituted alkoxy, alkylthio, alkylamino or alkylcarbonylamino having in each case 1 to 6 carbon atoms in the alkyl group, is alkenyloxy, alkynyloxy, alkenylthio, alkynylthio, alkenylamino or alkynylamino having in each case 3 to 6 carbon atoms in the alkenyl or alkynyl group, is

dialkylamino having in each case 1 to 4 carbon atoms in the alkyl groups, is in each case optionally methyl- and/or ethyl-substituted aziridino, pyrrolidino, piperidino or morpholino, is in each case optionally fluorine-, chlorine-, bromine-, cyano- and/or C₁-C₄-alkyl-substituted cycloalkyl, cycloalkenyl, cycloalkyloxy, cycloalkylthio, cycloalkylamino, cycloalkylalkyl, cycloalkylalkoxy, cycloalkylalkylthio or cycloalkylalkylamino having in each case 3 to 6 carbon atoms in the cycloalkyl or cycloalkenyl group and optionally 1 to 4 carbon atoms in the alkyl moiety, or is in each case optionally fluorine-, chlorine-, bromine-, cyano-, nitro-, C₁-C₄-alkyl-, trifluoromethyl-, C₁-C₄-alkoxy- and/or C₁-C₄-alkoxy-carbonyl-substituted aryl, arylalkyl, aryloxy, arylalkoxy, arylthio, arylalkylthio, arylamino or arylalkylamino having in each case 6 or 10 carbon atoms in the aryl group and optionally 1 to 4 carbon atoms in the alkyl moiety,


R³ is hydrogen, hydroxyl, amino, cyano, is C₂-C₁₀-alkylideneamino, is optionally fluorine-, chlorine-, bromine-, cyano-, C₁-C₄-alkoxy-, C₁-C₄-alkyl-carbonyl- or C₁-C₄-alkoxy-carbonyl-substituted alkyl having 1 to 6 carbon atoms, is in each case optionally fluorine-, chlorine- and/or bromine-substituted alkenyl or alkynyl having in each case 2 to 6 carbon atoms, is in each case optionally fluorine-, chlorine-, bromine-, cyano-, C₁-C₄-alkoxy- or C₁-C₄-alkoxy-carbonyl-substituted alkoxy, alkylamino or alkyl-carbonylamino having in each case 1 to 6 carbon atoms in the alkyl group, is alkenyloxy having 3 to 6 carbon atoms, is dialkylamino having in each case 1 to 4 carbon atoms in the alkyl groups, is in each case optionally fluorine-, chlorine-, bromine-, cyano- and/or C₁-C₄-alkyl-substituted cycloalkyl, cycloalkylamino or cycloalkylalkyl having in each case 3 to 6 carbon atoms in the alkyl group and optionally 1 to 4 carbon atoms in the alkyl moiety, or is in each case optionally fluorine-, chlorine-, bromine-, cyano-, nitro-,

C₁-C₄-alkyl-, trifluoromethyl- and/or C₁-C₄-alkoxy-substitued aryl or arylalkyl having in each case 6 or 10 carbon atoms in the aryl group and optionally 1 to 4 carbon atoms in the alkyl moiety


or salts of the compounds of the formula (I)

and


(b) one or more compounds from a second group of herbicides which includes the following active ingredients:




(Compound B.1),






(Compound B.2),




(Compound B.3),







(Compound B.7),




(Compound B.8),



(Compound B.9),



(Compound B.10), and




(Compound B.11)

and, if desired, additionally

(c) a crop plant tolerance promoter compound from the following group of compounds:

4-dichloroacetyl-1-oxa-4-azaspiro[4.5]decane (AD-67), 4-dichloroacetyl-3,4-dihydro-3-methyl-2H-1,4-benzoxazine (benoxacor), 5-chloroquinoxalin-8-oxyacetic acid 1-methylhexyl ester (cloquintocet-mexyl), 2,4-dichlorophenoxyacetic acid (2,4-D), 2,2-dichloro-N,N-di-2-propenylacetamide (dichlormid), N-(4-methylphenyl)-N'-(1-methyl-1-phenylethyl)urea (daimuron), 4,6-dichloro-2-phenylpyrimidine (fenclorim), 1-(2,4-dichlorophenyl)-5-trichloromethyl-1H-1,2,4-triazole-3-carboxylic acid ethyl ester (fenchlorazole-ethyl), 2-chloro-4-trifluoromethylthiazole-5-carboxylic acid phenylmethyl ester (flurazole), 4-chloro-N-(1,3-dioxolan-2-ylmethoxy)- α -trifluoroacetophenone oxime (fluxofenim), 3-dichloroacetyl-5-(2-furanyl)-2,2-dimethyloxazolidine (furlazole), ethyl 4,5-dihydro-5,5-diphenyl-3-isoxazolecarboxylate (isoxadifen-ethyl), (4-chloro-2-methylphenoxy)acetic acid (MCPA), (+)-2-(4-chloro-2-methylphenoxy)propanoic acid (mecoprop), diethyl 1-(2,4-dichlorophenyl)-4,5-dihydro-5-methyl-1H-pyrazole-3,5-dicarboxylate (mefenpyr-diethyl), 2-dichloromethyl-2-methyl-1,3-dioxolane (MG-191, CAS Reg. No. 96420-72-3), 1,8-naphthalic anhydride, α -(1,3-dioxolan-2-ylmethoximino)phenylacetonitrile (oxabetrinil), 2,2-dichloro-N-(1,3-dioxolan-2-ylmethyl)-N-(2-propenyl)acetamide (PPG-1292), 3-dichloroacetyl-2,2,5-

trimethyloxazolidine (R-29148), N-cyclopropyl-4-[(2-methoxy-5-methylbenzoyl)amino]sulfonyl]benzamide, N-[[[(4-methylaminocarbonylamino)phenyl]-sulfonyl-2-methoxybenzamide, and compounds of the formula (II) below,



in which

R²¹ and R²² are as defined in the following table:

R ²¹	R ²²
cyclopropyl	2-OCH ₃
cyclopropyl	2-OCH ₃ , 5-Cl
ethyl	2-OCH ₃
isopropyl	2-OCH ₃ , 5-Cl
isopropyl	2-OCH ₃

2. (Previously Presented) The composition as claimed in claim 1, wherein the crop plant tolerance promoter compound is selected from the active ingredients benoxacor, mefenpyr-diethyl, fenclorazole-ethyl, isoxadifen-ethyl, cloquintocet-mexyl, and the compound N-cyclopropyl-4-[(2-methoxybenzoyl)amino]sulfonyl]benzamide.

3. (Cancelled)

4. (Previously Presented) A method of controlling unwanted plants comprising causing a composition of claim 1 to act on the weeds and/or their habitat.

5. (Previously Presented) A process for producing a herbicidal composition comprising, mixing a composition of claim 1 with surface-active agents and/or extenders.

6. (New) A composition according to claim 1, wherein there are 0.001 to 1000 parts by weight of the one or more compounds from a second group of herbicides per part by weight of the at least one substituted thien-3-ylsulfonylamino(thio)carbonyl-triazolin(thi)one of the formula (I).


7. (New) A composition according to claim 1, wherein there are 0.002 to 500 parts by weight of the one or more compounds from a second group of herbicides per part by weight of the at least one substituted thien-3-ylsulfonylamino(thio)carbonyl-triazolin(thi)one of the formula (I).

8. (New) A composition according to claim 1, wherein there are 0.01 to 100 parts by weight of the one or more compounds from a second group of herbicides per part by weight of the at least one substituted thien-3-ylsulfonylamino(thio)carbonyl-triazolin(thi)one of the formula (I).

9. (New) A composition according to claim 1, wherein there are 0.1 to 50 parts by weight of the one or more compounds from a second group of herbicides per

part by weight of the at least one substituted thien-3-ylsulfonylamino(thio)carbonyl-triazolin(thi)one of the formula (I).

10. (New) A composition according to claim 1, wherein the compound from the second group of herbicides is:



(Compound B.3), and

wherein there are 0.1 to 50 parts by weight of Compound B-3 per part by weight of the at least one substituted thien-3-ylsulfonylamino(thio)carbonyl-triazolin(thi)one of the formula (I).

11. (New) A composition according to claim 10, wherein R¹ is CH₃; R² is -OCH₃; and R³ is CH₃.